قائمة بحوث آفات الجذور في أشجار الحمضيات

صحة النبات

قائمة بحوث آفات الجذور في أشجار الحمضيات

آفات أشجار الحمضيات

أدناه، قائمة بالأوراق البحثية العربية المنشورة منذ عام 2015 حتى تاريخه ذات الصلة بالآفات التالية: سوسة جذور الحمضيات (Diaprepes abbreviatus)، نيماتودا الحمضيات (Tylenchulus semipenetrans)، نيماتودا الخنجرية (Xiphinema spp)، نيماتودا تعقد الجذور (Meloidogyne spp)، مرض العفن الجاف (Fusarium solani)، مرض الذبول الفيوزارمي (Fusarium oxysporum f.sp. Citri)، عفن الجذور (Pythium spp)، مرض التصمغ والعفن البني (phytophthora spp)، فيرويد تقزم الحمضيات (Citrus dwarfing viroid).

المصدر: قاعدة بيانات سكوبس (Scopus)

نوع الأوراق: أوراق بحثية ومراجعات (Article & Review)

1. Biotechnological advancements in Phytophthora disease diagnosis, interaction and management in citrus
   Gaikwad P.N., Sharma V., Singh J., Sidhu G.S., Singh H., Omar A.A.
   (2023) Scientia Horticulturae, 310, 111739

2. Eco-friendly management of citrus nematode (Tylenchulus semipenetrans) using ozone, copper sulphate and calcium sulphate and its impact on productivity of lemon trees
   Abdel-Sattar M., Hammad S.E.
   (2022) Horticulture Environment and Biotechnology, 63(6), pp.779-792

3. Study the Effect of Some Citrus Peel Extracts Against Plant Pathogenic Fungi
   Mshari A., Alrudainy A.M., Abu-Mejdad N.M.J.A.
   (2022) Asian Journal of Water, Environment and Pollution, 19(6), pp.103-110

4. Impact of Silver Nanoparticles on Lemon Growth Performance: Insecticidal and Antifungal Activities of Essential Oils From Peels and Leaves
Mosa W.F.A., Mackled M.I., Abdelsalam N.R., Behiry S.I., Al-Askar A.A., Basile A., Abdelkhalek A., Elsharkawy M.M., Salem M.Z.M.
(2022) Frontiers in Plant Science, 13, 898846

5. Occurrence and Geographic Distribution of Plant-Parasitic Nematodes Associated with Citrus in Morocco and Their Interaction with Soil Patterns
Zoubi B., Mokrini F., Dababat A.A., Amer M., Ghoulam C., Lahlali R., Laasli S.-E., Khfif K., Imren M., Akachoud O., Benkebboura A., Housseini A.I., Qaddoury A.
(2022) Life, 12(5), 637

6. Impact of engineered nano silver on plant parasitic nematode and measurement of DNA damage
Shoaib R.M., Abdel-Razik A.B., Ibrahim M.M., Al-Kordy M.A., Taha E.H.
(2022) Egyptian Journal of Chemistry, 65(4), pp.43-51

7. Phytophthora-citrus interactions and management strategies: a review
Fadli A., Benyahia H., Hussain S., Khan R.I., Rao M.J., Ahmed T., Ancona V., Khalid M.F.
(2022) Turkish Journal of Agriculture and Forestry, 46(5), 10, pp.730-742

8. The soil mite Cunaxa capreolus (Acari: Cunaxidae) as a predator of the root-knot nematode, Meloidogyne incognita and the citrus Nematode, Tylenchulus semipenetrans: Implications for biological control
Al-Azzazy M.M., Al-Rehiayani S.M.
(2022) Acarologia, 62(1), pp.174-185

9. Identification of Novel and Safe Fungicidal Molecules against Fusarium oxysporum from Plant Essential Oils: In Vitro and Computational Approaches
Yousafi Q., Bibi S., Saleem S., Hussain A., Hasan M.M., Tufail M., Qandeel A., Khan M.S., Mazhar S., Yousaf M., Moustafa M., Al-Shehri M., Khalid M., Kabra A.
(2022) BioMed Research International, 2022, 5347224

10. Evaluating the sensitivity and efficacy of fungicides with different modes of action against Neocosmospora solani and Fusarium species, causing agents of citrus dry root rot
Ezrari S., Lazraq A., El Housni Z., Radouane N., Belabess Z., Mokrini F., Tahiri A., Amiri S., Lahlali R.
(2022) Archives of Phytopathology and Plant Protection, 55(9), pp.1117-1135

11. Dry root rot disease, an emerging threat to citrus industry worldwide under climate change: A review
Ezrari S., Radouane N., Tahiri A., El Housni Z., Mokrini F., Özer G., Lazraq A., Belabess Z., Amiri S., Lahlali R.
(2022) Physiological and Molecular Plant Pathology, 117, 101753

12. Effect of Artificial Mediated Abiotic Components against Plant-Parasitic Nematodes
Youssef M.M.A., El-Nagdi W.M.A.
(2021) Pakistan Journal of Nematology, 39(2), pp.95-98

13. Natural plant extracts and microbial antagonists to control fungal pathogens and improve the productivity of Zucchini (Cucurbita pepo L.) in vitro and in greenhouse
Hassan H.S., Mohamed A.A., Feleafel M.N., Salem M.Z.M., Ali H.M., Akrami M., Abd-Elkader D.Y.
(2021) Horticulturae, 7(11), 470

14. Inhibitory activity of shrimp waste extracts on fungal and oomycete plant pathogens
El Boumlasy S., La Spada F., Tuccitto N., Marletta G., Mínguez C.L., Meca G., Rovetto E.I., Pane A., Debdoubi A., Cacciola S.O.
(2021) Plants, 10(11), 2452

15. Farmers' knowledge, perceptions, and farm-level management practices of citrus pests and diseases in Morocco
Lahlali R., Jaouad M., Moinina A., Mokrini F., Belabess Z.
(2021) Journal of Plant Diseases and Protection, 128(5), pp.1213-1226

16. Antifungal lipopeptides from Bacillus strains isolated from rhizosphere of Citrus trees
Labiadh M., Dhaouadi S., Chollet M., Chataigne G., Tricot C., Jacques P., Flahaut S., Kallel S.
(2021) Rhizosphere, 19, 100399

17. Environmental Effects of Temperature and Water Potential on Mycelial Growth of Neocosmospora solani and Fusarium spp. Causing Dry Root Rot of Citrus
Ezrari S., Radouane N., Tahiri A., Amiri S., Lazraq A., Lahlali R.
(2021) Current Microbiology, 78(8), pp.3092-3103

18. Fungal planet description sheets: 1182-1283
Crous P.W., Cowan D.A., Maggs-Kölling G., Yilmaz N., Thangavel R., Wingfield M.J., Noordeloos M.E., Dima B., Brandrud T.E., Jansen G.M., Morozova O.V., Vila J., Shivas R.G., Tan Y.P., Bishop-Hurley S., ...
(2021) Persoonia: Molecular Phylogeny and Evolution of Fungi, 46, pp.313-528

19. Impact of essential oils of lamiaceae family against tylenchulus semipenetrans
Brikci S.B., Abdelli I., Hassani F., Reguig M.B.
(2021) Indian Journal of Ecology, 48(3), pp.716-721

20. Evaluation of the tolerance of seven citrus rootstocks to Phytophthora gummosis under saline conditions
Fadli A., Boudoudou D., Elmandouri F.Z., Talha A., Moreno M.A., Benkirane R., Benyahia H.
(2021) Acta Horticulturae, 1307, pp.361-368

21. Improvement of salt tolerance and resistance to Phytophthora gummosis in citrus rootstocks by controlled hybridization
Fadli A., Lotfy S., Talha A., Iraqi D., Moreno M.A., Benkirane R., Benyahia H.
(2021) Acta Horticulturae, 1307, pp.351-360

22. ISOLATION AND IDENTIFICATION OF PHYTOPHTHORA INFESTANS FROM SOME CITRUS TREES BY USING POLYMERASE CHAIN REACTION (PCR) AND DNA SEQUENCING TECHNIQUE IN IRAQ
Al-Nuaimy M.M.T., Abed F.N.M.
(2021) Biochemical and Cellular Archives, 21(1), pp.769-776

23. Characterization of Fusarium species causing dry root rot disease of citrus trees in Morocco
Ezrari S., Lahlali R., Radouane N., Tahiri A., Asfers A., Boughalleb-M'Hamdi N., Amiri S., Lazraq A.
(2021) Journal of Plant Diseases and Protection, 128(2), pp.431-447

24. Antimicrobial activity of Bacillus subtilis associated with Dactylellina gephyropaga against Arthrobotrys conoides isolated from nematode infested citrus rhizosphere
Labiadh M., Dhaouadi S., Flahaut S., Kallel S.
(2021) Biocontrol Science and Technology, 31(10), pp.1052-1066

25. Potential role of rhizobacteria isolated from citrus rhizosphere for biological control of citrus dry root rot
Ezrari S., Mhidra O., Radouane N., Tahiri A., Polizzi G., Lazraq A., Lahlali R.
(2021) Plants, 10(5), 872

26. Plant parasitic nematodes in Iraq: Occurrence and distribution records
Al-Hakeem A.M., Kandouh B.H., Aljuboori F.K.
(2021) International Journal of Agricultural and Statistical Sciences, 16, pp.2057-2063

27. Isolation and identification of fungi associated with seedlings roots of citrus aurantium and enhance its growth by using some organic extracts
AL-Isawi H.I.N.
(2021) International Journal of Agricultural and Statistical Sciences, 16, pp.1989-1995

28. Chemical composition and potentiation of insecticidal and fungicidal activities of Citrus trifoliata L. fruits essential oil against Spodoptera littoralis, Fusarium oxysporum and Fusarium solani via nano-cubosomes
Abdel-Kawy M.A., Michel C.G., Kirollos F.N., Hussien R.A.A., Al-Mahallawi A.M., Sedeek M.S.
(2021) Natural Product Research, 35(14), pp.2438-2443

29. Metabolic profiling of hybrids generated from pummelo and citrus latipes in relation to their attraction to diaphorina citri, the vector of huanglongbing
Killiny N., Jones S.E., Hijaz F., Kishk A., Santos-Ortega Y., Nehela Y., Omar A.A., Yu Q., Gmitter F.G., Jr., Grosser J.W., Dutt M.
(2020) Metabolites, 10(12), pp.1-17

30. Fungal planet description sheets: 1112–1181
Crous P.W., Cowan D.A., Maggs-Kölling G., Yilmaz N., Larsson E., Angelini C., Brandrud T.E., Dearnaley J.D.W., Dima B., Dovana F., Fechner N., García D., Gené J., Halling R.E., Houbraken J., Leonard P., ...
(2020) Persoonia: Molecular Phylogeny and Evolution of Fungi, 45, pp.251-409

31. Preservation du concentre de tomate par un agent Antifongique (huile essentielle du citron)
Himed L., Merniz S., Benbraham M., Boudjouada E., Barkat M.
(2020) African Journal of Food, Agriculture, Nutrition and Development, 20(2), pp.15608-15618

32. Drought Stress Impairs Communication between Solanum tuberosum (Solanales: Solanaceae) and Subterranean Biological Control Agents
Hassani-Kakhki M., Karimi J., El Borai F., Killiny N., Hosseini M., Stelinski L.L., Duncan L., Weldon C.
(2020) Annals of the Entomological Society of America, 113(1), pp.23-29

33. Biological control of clementine branch canker, caused by phytophthora citrophthora
Zouaoui M., Essghaier B., Weslati M., Smiri M., Hajlaoui M.R., Sadfi-Zouaoui N.
(2019) Phytopathologia Mediterranea, 58(3), pp.547-558

34. Occurrence and functional diversity of bacteria in rhizosphere of citrus trees infested by Tylenchulus semipenetrans in a citrus-growing area of Tunisia
Labiadh M., Aidi R., M'hamdi B., Rhouma A., Flahaut S., Kallel S.
(2019) European Journal of Plant Pathology, 155(2), pp.475-488

35. Geospatial relationships between native entomopathogenic nematodes and Fusarium solani in a Florida citrus orchard
Wu S.-Y., El-Borai F.E., Graham J.H., Duncan L.W.
(2019) Applied Soil Ecology, 140, pp.108-114

36. Inhibition of Fusarium culmorum, Penicillium chrysogenum and Rhizoctonia solani by n-hexane extracts of three plant species as a wood-treated oil fungicide
Salem M.Z.M., Behiry S.I., EL-Hefny M.
(2019) Journal of Applied Microbiology, 126(6), pp.1683-1699

37. Antifungal, antibacterial, and antioxidant activities of Acacia saligna (Labill.) H. L. Wendl. Flower extract: HPLC analysis of phenolic and flavonoid compounds
Al-Huqail A.A., Behiry S.I., Salem M.Z.M., Ali H.M., Siddiqui M.H., Salem A.Z.M.
(2019) Molecules, 24(4), 700

38. Effect of essential oil extracted from the peels of Citrus paradisi and Citrus sinensis on some fungi
Muhsen T.A.A.
(2019) Biochemical and Cellular Archives, 19, pp.2679-2684

39. The role of pomegranate (Punica granatum) husks and citrus (Citrus aurantium) husks extracts in reducing the growth of some pathogenic fungi of the plant
Karm I.F.A.
(2019) Plant Archives, 19, pp.241-244

40. The saprophytic fungus Fusarium solani increases the insecticidal efficacy of the entomopathogenic nematode Steinernema diaprepesi
Wu S.-Y., El-Borai F.E., Graham J.H., Duncan L.W.
(2018) Journal of Invertebrate Pathology, 159, pp.87-94

41. Citrus gummosis incidence and role of ants (Lasius grandis) and snails (Helix aspersa) as vectors of the disease in Tunisia
Benfradj N., Vettraino A.M., Tomassini A., Bruni N., Vannini A., Boughalleb-M'Hamdi N.
(2018) Forest Pathology, 48(3), e12423

42. Comparative transcriptome analysis of two citrus germplasms with contrasting susceptibility to Phytophthora nicotianae provides new insights into tolerance mechanisms
Ajengui A., Bertolini E., Ligorio A., Chebil S., Ippolito A., Sanzani S.M.
(2018) Plant Cell Reports, 37(3), pp.483-499

43. Phytophthora nicotianae and P. cryptogea causing gummosis of citrus crops in Tunisia
Boughalleb-M'hamdi N., Benfradj N., Migliorini D., Luchi N., Santini A.
(2018) Tropical Plant Pathology, 43(1), pp.36-48

44. Effect of the nematode-trapping fungus Dactylaria brochopaga and the nematode egg parasitic fungus verticilium chlamydosporium in controlling citrus nematode infesting mandarin, and interrelationship with the co inhabitant fungi
Noweer E.M.A.
(2018) International Journal of Engineering and Technology(UAE), 7(3), pp.19-23

45. Occurrence of Pythium and Phytopythium species isolated from citrus trees infected with gummosis disease in tunisia
Benfradj N., Migliorini D., Luchi N., Santini A., Boughalleb-M'Hamdi N.
(2017) Archives of Phytopathology and Plant Protection, 50(6-May), pp.286-302

46. Fungicidal efficacy of chemically-produced copper nanoparticles against Penicillium digitatum and Fusarium solani on citrus fruit
Khamis Y., Hashim A.F., Margarita R., Alghuthaymi M.A., Abd-Elsalam K.A.
(2017) Philippine Agricultural Scientist, 100(1), pp.69-78

47. Nematicidal activity of essential oils from aromatic plants of Morocco
Avato P., Laquale S., Argentieri M.P., Lamiri A., Radicci V., D'Addabbo T.
(2017) Journal of Pest Science, 90(2), pp.711-722

48. Accuracy and precision of phytonematode sampling plans
Abd-Elgawad M.M.M.
(2017) Agricultural Engineering International: CIGR Journal, 2017, pp.6-15

49. Citrus viroids in Tunisia: Prevalence and molecular characterization
Najar A., Hamdi I., Varsani A., Duran-Vila N.
(2017) Journal of Plant Pathology, 99(3), pp.787-792

50. Entomopathogenic nematode food web assemblages in Florida natural areas
Campos-Herrera R., El-Borai F.E., Rodríguez Martín J.A., Duncan L.W.
(2016) Soil Biology and Biochemistry, 93, pp.105-114

51. Diversity of filamentous and yeast fungi in soil of citrus and grapevine plantations in the Assiut region, Egypt
Abdel-Sater M.A., Moubasher A.-A.H., Soliman Z.S.M.
(2016) Czech Mycology, 68(2), pp.183-214

52. Distribution and losses of Tylenchulus semipenetrans in citrus orchards on reclaimed land in Egypt
Abd-Elgawad M.M.M., Koura F.F.H., Montasser S.A., Hammam M.M.A.
(2016) Nematology, 18(10), pp.1141-1150

53. Biological and chemical control of the citrus nematode, tylenchulus semipenetrans (Cobb, 1913) on Mandarin in Egypt
Hammam M.M.A., Wafaa M.E.-N., Abd-Elgawad M.M.M.
(2016) Egyptian Journal of Biological Pest Control, 26(2), pp.345-349

54. Biological soil treatment to control Fusarium solani and Tylenchulus semipenetrans on sour orange seedlings under greenhouse conditions
El-Mohamedy R.S.R., Hammam M.M.A., Abd-El-Kareem F., Abd-Elgawad M.M.M.
(2016) International Journal of ChemTech Research, 9(7), pp.73-85

55. Evaluation of soil amended with bio-agents and compost alone or in combination for controlling citrus nematode Tylenchulus semipenetrans and Fusarium dry root rot on Volkamer lime under greenhouse conditions
Hammam M.M.A., El-Mohamedy R.S.R., Abd-El-Kareem F., Abd-Elgawad M.M.M.
(2016) International Journal of ChemTech Research, 9(7), pp.86-96

56. Population Structure and Development of Resistance to Hymexazol Among Fusarium solani Populations from Date Palm, Citrus and Cucumber
Al-Sadi A.M., Al-Masoodi R.S., Al-Ismaili M., Al-Mahmooli I.H.
(2015) Journal of Phytopathology, 163(12-Nov), pp.947-955

57. Genetic and phenotypic differences of Fusarium oxysporum f. sp. citri isolated from sweet orange and tangerine
Hannachi I., Poli A., Rezgui S., Prassad R.D., Cherif M.
(2015) European Journal of Plant Pathology, 142(2), pp.269-280

58. Modifying soil to enhance biological control of belowground dwelling insects in citrus groves under organic agriculture in Florida
Campos-Herrera R., El-Borai F.E., Duncan L.W.
(2015) Biological Control, 84, pp.53-63

59. Fatty-acid composition and antifungal activity of extracts of thymus capitatus
Tabti L., El Amine Dib M., Benyelles N.G., Djabou N., Bouayad Alam S., Paolini J., Costa J., Muselli A.
(2015) Journal of Herbs, Spices and Medicinal Plants, 21(2), pp.203-210

60. Antifungal power of citrus essential oils against potato late blight causative agent
Messgo-Moumene S., Li Y., Bachir K., Houmani Z., Bouznad Z., Chemat F.
(2015) Journal of Essential Oil Research, 27(2), pp.169-176